


# OPENINGS IN STEEL

# Amarr<sup>®</sup> Residential Garage Doors

1

Amari





**Openings in Steel.** Express your style in steel. Amarr garage doors make it happen.

Exceptional performance, low maintenance and durability, available in nine steel collections.

From classic carriage house designs to contemporary flush panels,

get a striking look that stands the test of time.

- 2 AMARR CARRIAGE COURT
- 4 AMARR CARRIAGE COURT OPTIONS
- 6 AMARR CLASSICA®
- 8 AMARR CLASSICA® & DECORATIVE HARDWARE OPTIONS
- 10 AMARR OAK SUMMIT®
- 12 AMARR HILLCREST
- 14 AMARR DESIGNER'S CHOICE
- 16 AMARR HERITAGE™
- 18 AMARR STRATFORD®
- 20 AMARR LINCOLN
- 22 AMARR OLYMPUS
- 24 WINDOW & COLOR OPTIONS
- 25 SPECIFICATIONS

# Openings in Steel.

The Construction.

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double, 3000 triple or 4000 four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

1000

# Single-Layer: Steel

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford & Lincoln

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance

# 2000

# Double-Layer: Steel + Insulation

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford & Lincoln

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation

# 3000

# Triple-Layer: Steel + Insulation + Steel

Amarr Classica, Oak Summit, Hillcrest, Designer's Choice, Heritage, Stratford, Lincoln & Olympus

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation




\* For True White Bead Board only.
 \*\* For all panels and colors except True White Bead Board.
 For all panels and colors except True White Short Panel.

# 4000

# Four-Layer: Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe
- Polystyrene Thermal Insulation
- Energy Efficient
- Extra Quite Operation



Steel Interior Amarr Classica Tuscany design with Madeira windows in True White



Amarr Oak Summit Recessed design



Amarr Carriage Court Fairfield design with Closed Square in True White/White with Alpine decorative bandles





r and Interior Steel .ow Maintenance fe Polystyrene or nal Insulation



Polystyrene Insulation

R-VALUE

9.05

HERITAGE

R-VALUE 6.48

STRATFORD

Bottom Weather Seal

Polyurethane

# Steel Exterior Polystyrene Insulation R-VALUE 6.64

Steel Exterio Weather Seal

Bottom Weather Seal

Steel Exterior

rest,

Bradbury design with 3 Lite Arch windows in Sandtone/White with Canterbury decorative hardware



# AMARR CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal

and the highly defined carriage house designs are easily visible from the end of the driveway.

Built with durable composite overlay trim and insulated steel-backed sections, these garage doors

provide energy efficiency, noise reduction and innovative design to your home.



A wide variety of unique carriage house designs available in four color options.

See page 25 for complete specifications.

# CC4000

Four-Layer: Overlay + Steel + Insulation + Steel




Decorative Windows & Hardware Choose from a variety of optional decorative

windows & hardware to match your home's design.

See page 4 for all window options. See page 9 for all hardware options.



# DESIGNS



\*Closed Square only.

# AMARR CARRIAGE COURT OPTIONS

# TOP SECTIONS

### Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT and SEABROOK with CLEAR, OBSCURE or INSULATED GLASS

CLOSED SQUARE (104)



### CLEAR SQUARE (115)



3 LITE SQUARE (106)



4 LITE SQUARE (107)



6 LITE SQUARE (112)



8 LITE SQUARE (113)





Available with Clear, Obscure or Insulated glass.

CLEAR ARCH (114)



3 LITE ARCH (110)



4 LITE ARCH (111)



6 LITE ARCH (108)



### 8 LITE ARCH (109)

CLOSED ARCH (105)




Available for ARCADIA\*, ASHLEY, BROOKLAND\*, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA\*, MIDDLETON, NEWBERRY, RAVENWOOD\* and TANGLEWOOD \*Closed Square only.

CLOSED SQUARE (104)

# CONSTRUCTION

# DOOR WIDTHS



# OVERLAY TRIM



**CC4000** Four-Layer:

Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and • 5/8" composite overlay trim
- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Coped edge design
- Sustainable, green building material •
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

# WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with coped edges
- or insulated glass

Actual paint colors may vary from samples shown.







Only available in widths shown; not available in odd widths




15'6", 15'8", 16' & 18' WIDE




\*Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options)

Available in 6'6" – 10' heights in 3" increments

### DOOR HEIGHTS





# WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination



# COLORS



TRUE WHITE / WHITE (W1)



WICKER TAN / WHITE (K1)

SANDTONE / WHITE (S1)

ALMOND / WHITE (A1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings

• Available in double-strength, obscure



# AMARR CLASSICA®



Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel.

The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage

house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four,

help deliver a more authentic carriage house look. Deception never looked so good.



Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 25 for complete specifications.

Lucern with Thames Windows (L10)

**CL1000** Single-Layer: Steel

**CL2000** Double-Layer: Steel + Insulation

**CL3000** Triple-Layer: Steel + Insulation + Steel




# **Decorative Windows & Hardware**

Santiago with Seine Windows (S8)

Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

See pp. 8–9 for all window and hardware options.





<sup>+</sup>Long Panel Arched Top not available

# AMARR CLASSICA<sup>®</sup> & DECORATIVE HARDWARE OPTIONS

# TOP SECTIONS



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • CORTONA [C2]



JARDIN (75)\*

8



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED SQUARE • BORDEAUX (B2)




AMERICANA (57)\*




TRELLIS (76)\*



\*Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting. Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.





Olympus, Heritage, and Stratford collections.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges



### SAFE GUARD Amarr ENTREMATIC

# AMARR OAK SUMMIT<sup>®</sup>

Self-Expression shouldn't cost a fortune. With the Amarr Oak Summit collection it won't.

These durable steel doors offer an attractive carriage house look. Choose from a variety

of door colors, decorative hardware, and window accents.

Customize your home with our most affordable carriage house door.



The Amarr Oak Summit collection is available in four carriage house designs with your choice of eleven colors.

See page 25 for complete specifications.

# **OS1000** Single-Layer: Steel


**OS2000** Double-Layer: Steel + Insulation

**OS3000** Triple-Layer: Steel + Insulation + Steel

### **Decorative Windows & Hardware**

Give your door a unique carriage house look with a variety of decorative window & hardware options.

See page 9 for all decorative hardware options, page 24 for window options.



\*Color only available in Amarr Oak Summit OS3000. <sup>†</sup> Price upcharge applies.

Raised design with Arched Thames DecraTrim in Wicker Tan with Alpine handles



# AMARR HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom

carriage house look with a wide range of colors, decorative hardware and window styles.

You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.



The Amarr Hillcrest collection is available in four carriage house designs with your choice of four color options.

See page 25 for complete specifications.

HI1000 Single-Layer: Steel

HI2000 Double-Layer: Steel + Insulation

HI3000 Triple-Layer: Steel + Insulation + Steel




**Decorative Windows & Hardware** 

Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 24 for all window options. For decorative hardware, see page 9.

Recessed with Mission DecraGlass (RE71)









# DESIGNS

Bead Board (BB)	Long Bead Board (LPBB)	Recessed (RE)	Raised (RS)

COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.



AMARR HILLCREST



# AMARR DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models.

With triple-layer construction and superior insulation R-value of 19.40\*, these durable,

low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Designer's Choice model is available in four carriage house designs and six color options.

See page 25 for complete specifications.

# DC3200 Triple-Layer: Steel + Insulation + Steel



### \* For True White Bead Board only. 13.35 R-value for all other panels and colors.

### **Decorative Windows & Hardware**

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 24 for all window options. For decorative hardware, see page 9.



<sup>†</sup>Price upcharge applies. Walnut and Mahogany Available Fall 2016.

ALMOND

WICKER TAN

SANDTONE

DARK BROWN

BLACK<sup>+</sup>

WALNUT<sup>+</sup>

TRUE WHITE

(15)

MAHOGANY<sup>+</sup>

Long Panel design with Prairie DecraGlass in Walnut



### SAFE GUARD Amarr CNTREMATIC

# AMARR HERITAGE<sup>™</sup>

Tradition never goes out of style. Choose from four different panel designs

to create the steel garage door you always wanted. The Amarr Heritage collection features

low-maintenance, heavy gauge steel doors in your choice of traditional styles.

Great looks for years to come.



Flush Panel (FP)\*

The Amarr Heritage collection is available in a variety of panel designs and colors.

See page 25 for complete specifications.

# **HR1000** Single-Layer: Steel

HR2000 Double-Layer: Steel + Insulation

HR3000 Triple-Layer: Steel + Insulation + Steel

### **Decorative Windows & Hardware**

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 24 for all window options, page 9 for decorative lock option.

Long Panel with Moonlite DecraTrim (LP24) Short Panel with Americana DecraGlass (SP57)

Short Panel with Stockton DecraTrim (SP20)



# DESIGNS

Ribbed Panel (RP)\*

Long Panel (LP) Short Panel (SP) Flush Panel (FP)\* Ribbed Panel (RP)\* 10 F 10 ľ 10 \*Available in Amarr Heritage HR3000 only.

COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used



TRUE WHITE









GOLDEN OAK<sup>†</sup>



WAI NUT<sup>+</sup>



ΜΔΗΟGΔΝΥ†

<sup>†</sup>Price upcharge applies. Woodgrain finishes are dual directional for all panel designs.





# AMARR STRATFORD®



Time-honored style. The Amarr Stratford collection offers four traditional designs,

11 color choices, and 21 decorative window options. This durable and low-maintenance collection

provides section interfaces designed to reduce the risk of serious finger and hand injuries.

The Amarr Stratford collection. A statement of style.

The Amarr Stratford collection is available in a variety of panel designs and 11 colors. See page 25 for complete specifications.

Short Panel with Sunray DecraTrim (SP27)

# ST1000 Single-Layer: Steel

10.

**ST2000** Double-Layer: Steel + Insulation

**ST 3000** Triple-Layer: Steel + Insulation + Steel

### **Decorative Windows & Hardware**

Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 24 for all window options, page 9 for decorative lock option.

Long Panel with Heartland DecraGlass (SP70)

	Ribbed Panel (RP)*	
Long Panel with Stockton DecraTrim (LP20)	•	Flush Panel (FP)*

# DESIGNS

Short Panel (SP)		ong Panel (LP)	Flush Panel (	FP)*	Ribbed Panel (RP)*	*Available on Amai Stratford ST3000				
COLOR	S Actual paint of	colors may vary from samples	shown. Amarr steel d	oors are pre-painted; for	r custom colors, exterior l	atex paint must be used.				
TRUE WHITE	ALMOND	WICKER TAN	SANDTONE	TERRATONE	DARK BROWN	HUNTER GREEN*	GRAY*	GOLDEN OAK†	WALNUT <sup>†</sup>	MAHOGANY <sup>+</sup>

\*Color only available in Amarr Stratford ST3000.

<sup>†</sup>Price upcharge applies. Woodgrain finishes are dual directional for all panel designs.

Long Panel design with Stockton DecraTrim in True White



# AMARR LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless

traditional designs and color options with the durability & strength of steel and conventional hardware.

Along with 21 decorative window choices, this affordable collection delivers premium style at a competitive price.

The Amarr Lincoln. A new tradition of style and value.



The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs. Four colors are available.

See page 25 for complete specifications.

### Short Panel with Chalet DecraGlass (SP56)



# LI1000 Single-Layer: Steel

LI2000 Double-Layer: Steel + Insulation

LI3000 Triple-Layer: Steel + Insulation + Steel



**Decorative Windows** 

Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design.

See page 24 for all window options.

Flush Panel (FP)\*

Long Panel with Cascade DecraTrim (LP23)



Short Panel with Prairie DecraTrim (SP21)



# DESIGNS

Ribbed Panel (RP)\*

Long Panel (LP) Short Panel (SP) Flush Panel (FP)\* Ribbed Panel (RP)\* 10 F 10 ľ 10 \*Available in Amarr Lincoln LI3000 only. COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used. TRUE WHITE ALMOND WICKER TAN SANDTONE TERRATONE DARK BROWN GOLDEN OAK+ WALNUT+ MAHOGANY<sup>+</sup>

<sup>†</sup>Price upcharge applies. Woodgrain finishes are dual directional for all panel designs.



# AMARR OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40\*, these durable,

low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Olympus model is available in Short Panel and Long Panel designs and six color options.

See page 25 for complete specifications.

# **OL3200** Triple-Layer: Steel + Insulation + Steel




\* For True White Short Panel only. 13.35 R-value for all other panels and colors.

# **Decorative Windows**

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 24 for all window options.



# DESIGNS

Short Panel (SP)	Long Panel (LP)

COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.













BLACK<sup>+</sup>







ALMOND

SANDTONE

DARK BROWN

WALNUT<sup>+</sup>

<sup>†</sup>Price upcharge applies. Walnut and Mahogany Available Fall 2016.



# WINDOW & COLOR OPTIONS

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.

GOLDEN OAK‡

WALNUT‡

MAHOGANY‡ ‡Price upcharge applies.

DECRATRIM WINDO	W INSERTS Available with Clear or Obscure Glass.	D E C R A G L A S S <sup>™</sup> W I N D	0 W S Tempered obscure glass with baked-on ceramic designs.
SHORT PANEL <sup>1</sup>	LONG PANEL <sup>2</sup>	SHORT PANEL <sup>1</sup>	LONG PANEL <sup>2</sup>
CLEAR (C)		VICTORIAN (54)	
OBSCURE (0)			
		RIVIERA (55)*	
STOCKTON (20)			
	210112 202022	CHALET (56)	
PRAIRIE (21)		$\rightarrow \sim \rightarrow \sim \rightarrow \sim \rightarrow \sim$	
		AMERICANA (57)	
CATHEDRAL (22)			
CASCADE (23)			
		HEARTLAND (70)	
WATERFORD (25)			
$\boxtimes\boxtimes\boxtimes\boxtimes\boxtimes\boxtimes$		MISSION (71)	
WAGON WHEEL [26]			
SUNRAY (27)		PRAIRIE (72)†	
FULL SUNRAY (28) Short Panel		JARDIN (75)	
FULL SUNRAY (28) Long Panel	Available for 15'6", 15'8", 16', 17', and 18' widths only.	8X8 8X8 8X8 8X8	
		TRELLIS (76)	
FIVE PIECE SUNRAY (29) for 10' Short Panel Door	Available for 15 6", 15 8", 16', 17', and 18' widths only.	630 630 630 630	0,50,50 0,50,50
	Available only in True White.	*Clear glass with printed frost pattern. Decra	aTrim and DecraGlass design visibility varies due to lighting
THAMES (30) Long Panel	ARCHED THAMES (31) Long Panel	<sup>+</sup> Obscure glass with v-groove.	arrim and Decraotass design visibility varies due to righting
MOONLITE (24) Long Panel		SHORT PANEL: 1Available for Amarr Heritage LONG PANEL: 2Available for Amarr Heritage	
		Olympus and Designer's Choi	
STEEL COLORS	See specifications on page 25 for model availability. Amarr steel Actual paint colors may vary from samples shown. paint must l	doors are pre-painted; for custom colors, exterior latex	
	netter paint cotors may very nom samples snown. paint must i	e used. Visit amarr.com for instructions on painting.	

ALMOND

WICKER TAN

SANDTONE

TERRATONE DARK BROWN HUNTER GREEN

GRAY

BLACK‡

TRUE WHITE

# SPECIFICATIONS


Amarr				CARRIAG	SIAGE	НОИ	SEDES	ESIGN						ΤR	ADITI	RADITIONAL DESIGN	DESI	G N			
ENTREMATIC	AMARR CARRIAGE COURT CC4000	AMARR CLASSICA CL1000	AMARR CLASSICA CL2000	AMARR CLASSICA CL3000	AMARR 0AK SUMMIT 0S1000	AMARR 0AK SUMMIT 0S2000	AMARR 0AK SUMMIT 0S3000	AMARR HILLCREST HI1000	AMARR HILLCREST HI2000	AMARR HILLCREST HI3000	AMARR DESIGNER'S CHOICE DC3200	AMARR HERITAGE H HR1000	HERITAGE HE HE HE	AMARR HERITAGE STRA HR3000 ST	ARR AM TFORD STRA 1000 ST2	AMARR AMARR AMARR STRATFORD STRATFORD STRATFORD ST1000 ST2000 ST3000		AMARR AM LINCOLN LIN L11000	AMARR AI LINCOLN LIN LI2000 L	AMARR A LINCOLN 01 L13000 0	AMARR OLYMPUS OL3200
PANEL DESIGNS (Safe Guard)		`	>	>	`	>	>					`	>								
Short																					
Long												•	•		•	•	_	•	•	•	•
Flush																		ł			
Kipped Carriage House	18 Designs	7 Designs	7 Designs	7 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs		-	•				ŀ	t		
CONSTRUCTION LAYERS	4	-	2	3	-	2	e	-	2	e	3	-	2	33	-	2		-	2	e	3
Steel		•			•			•								_					
Steel + Insulation			•			•			•				•						•		
Steel + Insulation + Steel				•			•			•	•		_	•	_	_		_		•	
Overlay + Steel + Insulation + Steel										-	-		-		-						
DOOR THICKNESS	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)		2" (5.1cm)	2" (5.1cm)		2" (5.1cm)	-		_	2" (5.1cm) 2		2" (5.1cm) 2" (5	2" (5.1cm) 2" (5		_	2" (5.1cm) 2" (		_	2" (5.1cm)
INSULATION	Polystyrene <sup>1</sup>		Polystyrene <sup>1</sup>	Polyurethane		Polystyrene <sup>1</sup>	Polystyrene <sup>1</sup>		Polystyrene <sup>1</sup> F	Polystyrene <sup>1</sup> P	Polyurethane	Po	Polystyrene <sup>1</sup> Poly	Polystyrene <sup>1</sup>	Polys	Polystyrene <sup>1</sup> Polyst	Polystyrene <sup>1</sup>	Polys	Polystyrene <sup>1</sup> Poly	Polystyrene <sup>1</sup> Poly	Polyurethane
R-VALUE <sup>2</sup>	6.48		6.64	13.35		6.64	6.48		6.64	9.05 19	19.40*713.35**		6.64	9.05	9	6.64 6.	6.48	9	6.64	9.05 19.4	19.40 <sup>^1</sup> /13.35 <sup>‡</sup>
STEEL THICKNESS													_								
Gauge (ga)	27/27 ga	_	24 ga	25/27 ga	25 ga	25 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	24 ga	24 ga 24	24/27 ga 25	_	25 ga 27/2	27/27 ga 25	25 ga 21	25 ga 27	27/27 ga 2	27/27 ga
Gauge (mm)	0.42/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.53mm	0.53mm 0	0.42/0.42mm 0	0.42/0.42mm	0.61mm (	0.61mm 0.61.	0.61/0.42mm 0.5	0.53mm 0.5;	0.53mm 0.42/0	0.42/0.42mm 0.5:	0.53mm 0.5	0.53mm 0.42/	0.42/0.42mm 0.42	0.42/0.42mm
WOODGRAIN EXTERIOR TEXTURE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•
END STILES																					
Galvanized		•	•		•	•		•	•						•	•			•		
Painted	•			•			•			•	•	•	•	•			•			•	•
THERMAL SEAL	•						•				*•										÷.
BOTTOM WEATHER SEAL																					
Steel Retainer		•	•	·	·	·		•	·	Γ	*.		•	ŀ			-			t	֥
Aluminum Retainer	•						•														
Extruded Vinvl									Γ	•	۰.	-	-	-	-	-	-	ŀ	F		÷.
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	•	•	•	•	•	•	•	•							•	•
WINDOW GLASS OPTIONS													-		$\vdash$						
3/32" (0.24cm) Single Strength					•	•	•	•	•	•	•	•	•								•
1/8" [0.32cm] Tempered 2X Strength	•	•	•	•										_		_					
Insulated Glass	•			•			•			•	•			•						•	•
Obscure	•	•	•	•	•	•	•	•	•		•	•		_		•					
DECORATIVE HARDWARE OPTIONS	•	•	•	•	•	•	•	•	•	•	•										
EXTERIOR COLOR OPTIONS														ŀ	-	-		F			
True White	т <b>ө</b>	•	•	•	•	•	•	•	•	•	•	•	•	•					•		•
Almond	°•	•	•	•	•	•	•	•			•	•	•			•					
Wicker Tan		•	•	•	•	•	•	•	•	•	•				•	•		•	•	•	•
Sandtone		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•
Terratone		•	•	•	•	•	•	•	•	•					•	•		•	•	•	
Dark Brown		•	•	•	•	•	•	•	•	•	•	•	•	•		•			•	•	•
Hunter Green							•										•				
Gray							•								+	+				1	
Black											•			_				-			•
Golden Oak		•	•	•	•	•	•	•	•			•	•			+					
Walnut		•	•	•	•	•	•	•	•	•	ş. `	•	•					•	•	•	•
Manogany	,	•	•	•	•	•	•	•	•	•	• *	•	•				•	•	•	•	• +
WIND LOAD" AVAILABLE	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•					
Paint Finish <sup>5</sup>	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime 15 \	15 Years 25 \	25 Years	Lifetime 15 \	15 Years 25	25 Years	Lifetime	Lifetime
Workmanshin/Hardware5	5 Vears	3 Veare	5 Veare	ifetime	1 Vear	2 Veare	3 Veare	1 Vear	2 Vears	3 Vears	-	-	-		-	-	-	-	-	-	lifetime
	0 1001	0 10010	0 1001 0		801	7 10013	0 1001 0	B01 -	2 1001 2	6 1001 0		_	_	_	_	_	_	_	_	_	
SAFE Pinch Insu GUARD Protection flam Afructry	Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.	arr brand   self-ignition, <sup> </sup> smoke ire testing.		<ul> <li><sup>2</sup> Calculate</li> <li>in accord</li> <li>A Based or</li> <li>test resu</li> </ul>	<ul> <li>Calculated door section R-value is in accordance with DASMA TDS-16 A Based on independent laboratory test results.</li> </ul>	Calculated door section R-value is in accordance with DASMA TDS-163. Based on independent laboratory test results.	* + ++	All panels and True White Bé True White Sh All panels and	** All panels and colors except True White Bead Board. T True White Short Panel only. All panels and colors except	ہ بے اور	<sup>3</sup> With WI <sup>4</sup> It is you make s meets l	With White Overlay. It is your responsibility to make sure your garage door meets local building codes.	ity to ge door codes.	ui,2,∑, ∢	For complete warr: visit amarr.com or your local Amarr d	For complete warranty details, visit amarr.com or contact your local Amarr dealer.	<u>s</u>	NOTE: O heights a local gar	NOTE: Optional door locks and various heights and widths are available thru your localgarage door dealer.	ocks and var e available t iler.	rious thru your
ENTREMATIC				* True Wh	ite Bead Boa	-d only.		True White Sh	ort Panel.					4	vallable Fall.	7010					



**Our Philosophy.** Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.

Your Local Amarr Dealer:



Entrematic, Amarr, Classica, Heritage, Stratford, and Oak Summit as words and logos are trademarks owned by Entrematic Group AB or companies within the Entrematic Group.

Technical data subject to change without notice.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2016. All rights reserved. Printed in USA Form #6450916/50M/GVS





# ENTRE/MATIC